

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (currently amended)      A data processing system, comprising:  
  
    setting means for setting a condition for web page data to be saved, in advance of acquiring the web page data;  
  
    data acquisition means for acquiring web page data;  
  
    determination means for determining whether ~~user requests saving of~~ the acquired web page data satisfies the condition;  
  
    indexing means for assigning a predetermined index to the web page data ~~requested for saving~~ if the web page data is determined to satisfy the condition, said index dynamically assigned to the web page data; and  
  
    saving means for saving the ~~requested~~ web page data determined to satisfy the condition and the assigned index in a predetermined storage unit.
2. (original)                      The system according to Claim 1, wherein said data acquisition means acquires data from a browser client, said browser client allowing browsing of data in an internet.
3. (original)                      The system according to Claim 1, wherein the predetermined storage is a database, and said system further comprising data retrieving means for retrieving data from the database based on a user-supplied index, said user-supplied index specified by a user.
4. (original)                      The system according to Claim 1, further comprising:

sorting means for sorting indices of the data in the storage unit; and  
display means for displaying a result of the sorting by said sorting means.

5. (original)                      The system according to Claim 4, wherein said sorting means performs the sorting based on a plurality of types of indices.

6. (original)                      The system according to Claim 4, further comprising:  
selecting means for selecting an index from the indices displayed on said display means; and  
retrieval means for retrieving data corresponding to the index selected by said selecting means from the database.

7. (original)                      The system according to Claim 4, further comprising:  
deleting means for deleting at least one index from the indices displayed on said display means; and  
removal means for removing data corresponding to the index deleted by said deleting means from the database.

8. (original)                      The system according to Claim 4, wherein at least one of the data has a plurality of values for an index, and  
said sorting means places the plurality of values at positions corresponding to respective values.

9. (original)                      The system according to Claim 2, said saving means comprising:  
folder creation means for creating a new folder for newly browsed data;  
file name assigning means for assigning a predetermined name to the newly browsed data without intervention by a user; and

file saving means for saving the newly browsed data in the new folder with the assigned file name.

10. (original) The system according to Claim 9, wherein said folder creation means creates the new folder with a folder name created based on a predetermined rule.
11. (original) The system according to Claim 10, wherein the folder name is a fixed name.
12. (original) The system according to Claim 2, said saving means comprising:  
file name generation means for generating a unique file name for the newly browsed data without intervention by a user; and  
file saving means for saving the newly browsed data with adding the generated file name.
13. (original) The system according to Claim 2, wherein said indexing means acquires a URL of the data from the browser as the index.
14. (original) The system according to Claim 2, wherein said indexing means acquires at least one of a keyword or a title embedded in the data from the browser as the index.
15. (currently amended) The system according to Claim ~~14~~78, wherein ~~the data is on the network and~~ each of the group corresponds to a session for the network.
16. – 17. (cancelled)
18. (original) The system according to Claim 13, further comprising word assigning means for assigning a word specified by a user as a further index to the data to be saved by said saving means.

19. (original)                    The system according to Claim 1, wherein if an index assigned to the data to be saved has been assigned to other data, said saving means saves the data as a new data or updates the other data according to a setting by the user.
20. (original)                    The system according to Claim 1, wherein if an index assigned to the data to be saved has been assigned to other data, said saving means inquires to the user whether the data is to be saved as a new data or an updated data.
21. (original)                    The system according to Claim 1, wherein said saving means saves the data in correspondence with an effective period, and said system further comprising:  
comparing means for comparing the effective period with a current time at a predetermined timing; and  
removal means for removing data in correspondence with the effective period before the current time based upon the result of a comparison by said comparing means.
22. (original)                    The system according to Claim 21, wherein the predetermined timing is a time when the system accepts no operations by a user.
23. (original)                    The system according to Claim 21, wherein said removal means requests a user to confirm the removal of the data and removes the confirmed data.
24. (original)                    The system according to Claim 21, wherein said removal means requests a user to confirm the removal of the data or removes the data without confirmation by the user in accordance with a setting by the user.

25. (original) The system according to Claim 21, wherein if the effective period is not specified by the user, said saving means saves the data in correspondence with a non-limited effective period.
26. (original) The system according to Claim 2, wherein said saving means saves the browsed data in a first save mode and saves the URL in place of the browsed data in a second save mode.
27. (currently amended) The system according to Claim 2, wherein said ~~saving~~ setting means ~~saves~~ sets whether or not data linked to the browsed data with data linked thereto is to be saved with the browsed data.
28. (currently amended) The system according to Claim 2, wherein ~~saving~~ setting means ~~always saves~~ can set to save all the browsed data without any instruction for each of the browsed data by the user.
29. (original) The system according to Claim 28, wherein said saving means saves the browsed data when the browsing is operated to move to another URL.
30. (currently amended) The system according to Claim 28, wherein said ~~saving~~ setting means ~~is controlled~~ can set not to save the browsed data in a URL specified by the user ~~in advance.~~
31. (original) The system according to Claim 2, further comprising index extracting means for extracting as an index a specific data from a data train constituting address of the browsed data in the network on the basis of a predetermined rule.
32. (original) The system according to Claim 31, wherein the specific data is a domain name.

33. (original)                    The system according to Claim 32, wherein the predetermined rule is a rule for eliminating a parameter, a protocol, an obvious address, and page data from the data train, and extracting a domain name from the rest of the data with referring to a knowledge base of domain names.
34. (original)                    The system according to Claim 31, wherein the specific data is a name of organization.
35. (original)                    The system according to Claim 34, wherein the predetermined rule is a rule for eliminating a parameter, a protocol, an obvious address, page data, and domain name from the data train, and determining the rest of the data as an organization name.
36. (original)                    The system according to Claim 35, wherein the predetermined rule includes a rule for dividing the rest of the data into partial data with a predetermined symbol and determining each of the partial data as an organization name.
37. (original)                    The system according to Claim 1, further comprising sending means for sending the acquired data or a specific part thereof to a destination.
38. (original)                    The system according to Claim 37, wherein the specific part is a URL of the saved data.
39. (original)                    The system according to Claim 37, wherein the specific part is the saved data except for an embedded image.
40. (original)                    The system according to Claim 2, further comprising editing means for editing the browsed data.

41. (original) The system according to Claim 40, wherein said editing means includes annotation means for adding an annotation to the browsed data.
42. (original) The system according to Claim 41, wherein said annotation means adds an annotation in such a manner that the annotation is distinguishable from the browsed data.
43. (original) The system according to Claim 40, wherein said editing means includes changing means for changing a display form of a designated portion in the browsed data.
44. (original) The system according to Claim 2, further comprising:  
extraction means for extracting a predetermined type of data from the browsed data; and  
extracted data saving means for saving the extracted data in the database.
45. (original) The system according to Claim 44, wherein said extraction means extracts data in a predetermined column in response to a copying operation of data from a specified portion of the browsed data to the predetermined column, and said extracted data saving means saves the extracted data with an attribute corresponding to the predetermined column.
46. (original) The system according to Claim 44, wherein the predetermined type of data includes at least one of an organization name, a person name, an E-mail address, a telephone number, a Fax number, and a keyword appended to the data.
47. (original) The system according to Claim 2, wherein if the data requested to be saved includes data in other URL, said saving means downloads the included data from the other URL.

48. (original)                      The system according to Claim 47, wherein if the data in the other URL has been downloaded, said saving means dispenses with the downloading of the data.
49. (original)                      The system according to Claim 2, further comprising mode selection means for selecting an automatic save mode, and in the automatic save mode, said determination means always determines the user requests to save the browsed data without instruction for each of the browsed data.
50. (original)                      The system according to Claim 3, wherein said data acquisition means, said determination means, said indexing means, said saving means, and said database are equipped in a server apparatus, and said system further comprising at least one client apparatus connected to said server apparatus, each of said client apparatus transmits a user request to said server apparatus and receives a response to the user request from said server apparatus.
51. (original)                      The system according to Claim 50, wherein said data acquisition means in said server apparatus acquires data in an internet.
52. (original)                      The system according to Claim 50, wherein said server apparatus further comprising:  
a local database;  
a web information storage device for storing web information acquires from an internet: and  
administration means for administrating data in either of said database, said local database, and said web information storage device.



53. (original)                    The system according to Claim 52, wherein at least one of said client apparatus further comprising:
- a client local database;
- a client web information storage device for storing web information acquires from an internet: and
- client administration means for administrating data in either of said database, said local database, and said web information storage device.
54. (original)                    The system according to Claim 3, wherein said database is equipped in a server apparatus, and said data acquisition means, said determination means, said indexing means, and said saving means are equipped in at least one client apparatus connected to said server apparatus.
55. (original)                    The system according to Claim 3, wherein said system includes a plurality of client apparatuses, and said data acquisition means, said determination means, said indexing means, said saving means, and said database are equipped in each of said client apparatuses, and each of said client apparatuses can access the database equipped in another client apparatus.
56. (original)                    The system according to Claim 3, wherein said database is equipped in a server apparatus, and index database for storing the indices of said database is equipped in at least one client apparatus connected to said server apparatus.
57. (original)                    The system according to Claim 3, wherein said data acquisition means, said determination means, said indexing means, said saving means, and said database are equipped in a server apparatus, said data acquisition means

acquires data in an internet, and  
said system further comprising at least one browser connected to said server  
apparatus, each of said browser browses web page in the internet via said server  
apparatus and transmits a user action on the browses web page to said server  
apparatus.

58. (cancelled)

59. (currently amended) A computer-executable program for controlling a computer to  
perform data processing, said program comprising codes for causing the computer to perform:

a setting step of setting a condition for web page data to be saved, in  
advance of acquiring the web page data;

a data acquisition step of acquiring web page data;

a determination step of determining whether or not ~~a user requests to save~~  
the acquired web page data satisfies the condition;

an indexing step of assigning a predetermined index to the web page data  
~~requested to save~~ if the web page data is determined to satisfy the condition, without inputting  
any index; and

a saving step of saving the ~~requested~~ web page data determined to satisfy  
the condition with the assigned index in a predetermined storage unit.

60. (currently amended) A data processing method comprising:

setting a condition for web page data to be saved, in advance of acquiring  
the web page data;

acquiring web page data;

~~receiving a user request to save~~ determining whether the acquired web page data satisfies the condition;

assigning a predetermined index to the web page data ~~requested for saving~~  
if the web page is determined to satisfy the condition; and

saving the ~~requested~~ web page data determined to satisfy the condition  
with the assigned index in a predetermined storage unit.

61. (original)                      The method of claim 60, wherein said predetermined index is  
dynamically generated.

62. (original)                      The method of claim 61, wherein said predetermined storage unit  
is a database.

63. (original)                      The method of claim 62, further comprising retrieving data from  
said database based on a user-supplied index.

64. (original)                      The method of claim 62, further comprising:  
sorting indices of the data saved in the database; and  
displaying a result of said sorting indices on a display unit.

65. (original)                      The method of claim 64, wherein said sorting is performed on a  
plurality of index types.

66. (original)                      The method of claim 65, further comprising:  
selecting an index from the indices displayed; and  
retrieving data corresponding to the index selected from the database.

67. (original)                      The method of claim 66, further comprising:  
deleting at least one index from the indices displayed on said display unit; and  
removing data corresponding to said deleted index from the database.

68. (original) The method of claim 67, further comprising assigning a user-specified word as a second index for the data to be saved.
69. (original) The method of claim 68, further comprising sending the acquired data to a predetermined destination.
70. (original) The method of claim 68, further comprising sending a specific part of the acquired data to a predetermined destination.
71. (original) The method of claim 60, wherein said data is acquired from a browser client, said browser client allowing browsing of data in an internet.
72. (original) The method of claim 71, further comprising creating a new folder for newly browsed data in said storage unit.
73. (original) The method of claim 72, further comprising assigning a predetermined file name to said newly browsed data.
74. (original) The method of claim 73, further comprising saving said newly browsed data in said new folder with said predetermined file name.
75. (original) The method of claim 74, further comprising editing the browsed data.
76. (original) The method of claim 75, wherein said editing includes adding an annotation to the browsed data, said annotation is distinguishable from the browsed data.
77. (original) The method of claim 71, further comprising:  
extracting a predetermined type of data from the browsed data; and  
saving the extracted data in the storage unit.

78. (original)                    The system according to Claim 14, wherein said indexing means displays the keyword or the title acquired from the browser.
79. (original)                    The system according to Claim 1, wherein the index includes a time when the data is saved, said system further comprising:  
node creation means for creating nodes corresponding to groups classified on the basis of the timing of saving, said node creation means creates a hierarchical nodes by dividing a group corresponding to a period into a plurality of sub group each corresponding to a shorter period and creating a node corresponding to each of sub group; and  
node displaying means for displaying a plurality of nodes created by said node creation means in an order of saving.
80. (new)                        A data processing method comprising the steps of:  
extracting a data within a predetermined meta tag from a web page retrieved by a browser; and  
displaying, when the retrieved web page is displayed in an area, the extracted data in a predetermined field outside of the area;
81. (new)                        The method according to claim 80, further comprising the step of saving the displayed web page in a storage unit in correspondence with the data displayed in the predetermined field as an index.
82. (new)                        The method according to claim 80, wherein the predetermined meta tag is that of a keyword for the web page.

83. (new)                      The method according to claim 80, wherein the predetermined meta tag is that of a title for the web page.
84. (new)                      The method according to claim 80, further comprising the steps of:  
displaying a list of indices for web pages saved in the storage unit;  
receiving from a user a designation of an index in the displayed list of indices;  
and  
displaying the web page corresponding to the designated index.
85. (new)                      The method according to claim 84, wherein the list of indices is displayed in another area when the retrieved web page is displayed in the area.
86. (new)                      The method according to claim 84, further comprising the steps of:  
sorting the list of indices; and  
displaying the sorted list of indices.
87. (new)                      The method according to claim 80, further comprising the step of editing the displayed web page.
88. (new)                      The method according to claim 87, wherein said editing step, an annotation is added to the displayed web page.

89. (new)                      The method according to claim 80, further comprising the step of sending the displayed web page or a part thereof to a specified destination.
90. (new)                      The method according to claim 89, wherein said sending step is performed using an e-mail.
91. (new)                      The method according to claim 89, wherein the displayed web page except for an embedded data is send in said sending step.
- ✓ 92. (new)                      The method according to claim 80, wherein a URL of the displayed web page is saved instead of the web page in said saving step.
93. (new)                      A computer-executable program for controlling a computer to perform data processing, said program comprising codes for causing the computer to perform the steps of:
- data acquisition means for acquiring data;
- determination means for determining whether user requests saving of the acquired data;
- indexing means for assigning a predetermined index to the data requested for saving, said index dynamically assigned to the data; and
- saving means for saving the requested data and the assigned index in a predetermined storage unit.